


©ellspring™ Global.





Impenetrable.Impeccable.Incredible.

Performs 33% better than best-in-class coatings Fresh and made-to-order Easy application and rapid curing Concierge-style consultation

Discerning buyers understand that superior quality and unparalleled performance are non-negotiable. Choosing Wellspring Global™ is not just a decision—it's a demonstration of your expertise and deep understanding of the importance of coating performance.

With some of the most brilliant minds in the coating industry today, Wellspring Global™ is dedicated to pushing the boundaries of innovation and achieving unparalleled results. Our expertise and proprietary technology offers the highest performance and quality available on the market. Choose Wellspring for coatings that are not just advanced, but truly unmatched in brilliance and durability. When you choose Wellspring Global, you choose:

Fresh, Made-to-Order Batches

In our business, you know freshness matters. With Wellspring Global, every batch of our coatings is crafted specifically for your needs, ensuring peak performance. While others settle for off-the-shelf solutions, you choose coatings that are freshly made-to-order, showcasing your commitment to excellence. Choosing Wellspring's coatings underscores your keen eye for quality and reinforces your reputation for selecting top-tier materials.

Easy-to-Apply Formulas

Applying Wellspring coatings to any surface is effortless, thanks to its user-friendly application process. It ensures consistent results every time and its reproducible coverage guarantees a professional finish with minimal effort. For those seeking even greater efficiency, Wellspring Global's Elite Support, included with every purchase, offers invaluable assistance in optimizing

your application techniques.

Extended Shelf Life

Selecting coatings with an extended shelf life reflects your strategic planning. Wellspring Global's advanced formulations are packaged to ensure our products maintain their exceptional quality and effectiveness over time, offering you the flexibility to manage your production schedules with confidence.

Impeccable Performance

Your demand for quality drives you to seek out the best-performing products. Wellspring Global™ coatings deliver 33% more abrasion resistance and index refraction than its best-in-class competitors. These ultra-high performance properties translate to superior products - exhibiting unmatched durability and clarity, while reinforcing your brand's pristine reputation for selecting top-tier materials.

Incredible Support

Imagine the peace of mind that comes with having dedicated, one-on-one customer support readily available by phone or text. In an industry where genuine support is rare, your decision to partner with us ensures you have expert assistance whenever you need it. Securing this level of support demonstrates your thorough understanding of the critical role service plays in achieving optimal success with your coatings and finishes.

Choose Excellence, Choose Wellspring Global™

Join the ranks of the most intelligent and forward-thinking procurement groups. Elevate your products and reinforce your brand's reputation with Wellspring Global™. Call or text 310-555-1212 today to discover how we can exceed your expectations





Outshining the best-in-class

Wellsprings Global's cutting-edge coating technology emerges as the unparalleled choice for Fortune 100 procurement seeking top-tier performance and reliability. In rigorous performance tests, Wellspring Global's coatings outshine the best-in-class competitors by an impressive 33%, showcasing a level of excellence unmatched in the industry. With a steadfast commitment to innovation and sustainability, Wellspring Global delivers solutions that not only exceed expectations but also align with the stringent procurement standards of Fortune 100 companies.

By prioritizing durability, resilience, and eco-friendliness, Wellsprings ensures that their coatings not only meet but exceed the demands of high-profile procurement initiatives. You can trust in Wellspring Global's personalized approach, tailored to address the unique needs and challenges of your brand. In a landscape of formidable contenders, Wellspring Global's coating technology shines brightly as a beacon of innovation and reliability, setting a new benchmark for excellence in the industry.




Figure 1—No compromises on adhesion and abrasion.





Introducing... DiamondSpring™

Ultra-Performance Coatings.

Introducing DiamondSpring™, *the* cutting-edge solution crafted for industrial-grade applications worldwide. In rigorous testing against its best-in-class competitors, DiamondSpring surpasses best-in-class coating performance by over 33%.

Engineered with precision, this thermally-cured polysiloxane coating sets a new standard for excellence in flow and dip coating technology. With a focus on ultra-high performance and reliability, DiamondSpring™ offers top-tier abrasion resistance, chemical resilience, and weather durability on acrylic substrates, ensuring optimal functionality across diverse industrial environments.

From healthcare to eyewear, automotive to aerospace, architectural to mass transit glazings, DiamondSpring™ delivers unmatched performance, safeguarding your critical assets

with its innovative formula. By forming a robust protective barrier on acrylic substrates, DiamondSpring™ enhances resilience and longevity through a seamless thermal curing process. Experience effortless primer-free adhesion, coupled with superior abrasion, chemical, and UV/humidity resistance, ensuring sustained protection against the most challenging conditions.

Request a sample of DiamondSpring[™] today to wittness its easy application, guaranteed fresh batches, extended shelf-life, adaptability and flexibility, perfectly suited to the ever-evolving needs of industrial operations. Trust in DiamondSpring™ to elevate the performance and longevity of your assets, providing unmatched protection that withstands the test of time. Experience the difference with DiamondSpring™—where performance and beauty knows no bounds.

- Abrasion resistance
- Refractive index
- Chemical resistance
- UV/Humidity resistance
- Flexibility
- Longevity, shelf-life

*than its best-in-class competitors.





Figure 2—DiamondSpring significantly outperforms both of the bestin-class competitors for anti-abrasion.



DiamondSpring™ Ultra-Performance vs. the Best-in-Class

Competitive analysis and testing

Cured coating properties

	Coating Thickness	Refractive Index	Taber Abrasion*	Adhesion	Chemical Resistance
DiamondSpring [®]	XX μm	XX.X	XX Revolutions: <7 500 Revolutions: 1.58 - 2.45	XX%	Acetone - no attack 1% NaOH- no attack 1% HCI - no attack Windex - no attack
Best-in-class Competitor A	3.0 - 7 μm	1.43	100 Revolutions: <3	100%	Acetone - no attack
			500 Revolutions: <7		1% NaOH- no attack
					1% HCl - no attack
					Windex - no attack
Top-tier Competitor B	XX μm	XX.X	XX Revolutions: <7	XX%	Acetone - no attack
			XX Revolutions: <7		1% NaOH- no attack
					1% HCl - no attack
					Windex - no attack

The test data from the Taber Abrasion* test highlights the superior performance of DiamondSpring™ coatings in terms of transmittance and haze resistance.

Transmittance:

Initial Transmittance:

DiamondSpring™ (AC/PS variants) consistently demonstrates high initial transmittance values around 93.5-93.9%— significantly higher compared to PC and AC alone.

Transmittance Over Cycles

- After 500 cycles, the transmittance of DiamondSpring™ coatings (AC/PS) only slightly decreases to around 93.5%, showcasing minimal loss.
- The Δ Transmittance values for DiamondSpring[™] are remarkably low (ranging from -0.10 to -0.40), indicating outstanding stability and retention of clarity over time compared to other materials like PC and AC.

Haze

Initial Haze:

DiamondSpring[™] coatings start with low haze values (around 0.43-0.69), indicating clear and high-quality optical properties from the beginning.

Haze Over Cycles:

- After 500 cycles, the haze of DiamondSpring™ (AC/PS) slightly increases but remains exceptionally low (around 1.58-2.45) compared to the significant increase in haze observed in PC and AC, which rise to values over 30.
- **?** The \triangle Haze values for DiamondSpring[™] are minimal (ranging from 0.41 to 1.91), illustrating its superior resistance to wear and abrasion.

This data underscores that DiamondSpring[™] sets a new standard in the industry for abrasion resistancecoating. Its remarkable stability in maintaining high transmittance and

Continued






Continued fron page 6

low haze over extended use and wear cycles ensures lasting optical clarity and durability. These ultra-high performing properties make DiamondSpring™ the ideal choice for flow or dip applications requiring long-term performance and pristine visual quality.

To see DiamondSpring™ in action and understand how it can elevate your projects, contact us today for a demonstration.

Figure 3— Standard Test Method for Resistance of Transparent Plastics to Surface Abrasion by the Taber Abraser. Results show DiamondSpring's ultra-high performance maintaining high transmittance with low haze over extended use.



Liquid coating properties

(*)	Solids	рН	Density	Specific gravity	Turbidity	Viscosity	VOC's at 1lbs/gallon
DiamondSpring	15-20	4-6	ASK ASK	0.8-1.0 g/m	ASK	Brookfield: ASK Zahn cup: Oswald: @ 18° C: <10 cps	5.7
Best-in-class Competitor A	ASK	ASK	ASK ASK	ASK	ASK	Brookfield: ASK Zahn cup: Oswald	ASK
Top-tier Competitor B	ASK	ASK	ASK ASK	ASK	ASK	Brookfield: ASK Zahn cup: Oswald	ASK

^{*}Alternative product formats can be made available.





Industrial Applications

Infinite solutions. Incredible results.

Wellspring Global's advanced surface coatings technology is designed to meet the sophisticated demands of industrial applications. Our coatings outperform the best-in-class market alternatives by 33%, delivering unmatched abrasion resistance, superior chemical abrasion protection, and advanced UV anti-yellowing capabilities. Additionally, our coatings offer enhanced flexibility, making them ideal for a wide range of industrial uses. Our formulations are freshly made to order, ensuring maximum

shelf life and product longevity. With our custom formulation services, we handle even the most complex projects, offering virtually limitless capabilities to meet your exact specifications. Every purchase includes Wellspring Global Elite™ Support, providing you with individualized consultation. Discover how our ultra-high performing coatings can enhance your products′ performance and durability. Contact us today to explore the possibilities of verifiable, inimitable chemistry.

Architecture retail, signage, and lighting	Industrial, engineering, and medical	Transportation	Security and Safety	Military	Sport
Advertising and poster display panels	Digital display windows	Planes, trains, and auto- mobiles	Fireman's visors	Ballistic glass, anti-scratch sheet	Motorcycle helmet visors
Decorative panels	Electric car recharging point covers	Ballistic glass anti-spall sheet	Foundry visors	Ballistic glass anti-spall sheet	Snow goggles
Floor and aisle lighting	Handheld instrument covers	Dashboard binnacle covers	Laser covers	Gas mask lenses	Rally car windows and windscreens
Glazing	Instrument panels and display screens	Decorative strips	Machine guards	Mirrors	Sports car windows and windscreens
Internal decorative glazing	Glow box windows	Gear knob top motifs	Police riot shields	Respirator lenses	Visors
LED collimators	Laser sensor covers	Headlamp covers	Police safety visors	Safety gog- gles	
LED diffusers	LCD screens and covers	Indicator light covers	Police vehicle win- dows	Vehicle windows	
LED luminaries	LED lenses	Instrumentation	Public order equip- ment		
LED reflectors	Machined components	Lens covers	Rooftop lighting and signage		
Lighting	Medical components	Light guides and clusters	Safety goggles		
Maritime glazing	Medical equipment cabinet doors	Mirrors	Safety visors		
Pedestrian contact glazing	Operating theatre lighting	Motorcycle helmet visors	Security camera covers		
Point-of-sale displays	Operator protection screens	Off-highway vehicle windows	Security mirrors		
Soundproof walls	Optoelectronic screens and displays	Rear lamp covers	Thermal spray visors		
Signage	Point-of-sale displays	Trim	Welding visors		
Soundproof walls	Pedestrian barriers	Switches and buttons	Windows		
Sports stadium roofing	Pressure guage covers	Windows			
Street furniture	Soundproofing	Thermal insulation coatings			
Street lighting	Touch screens	Marine and antifouling			
Traffic signals	White goods				
Traffic signs and displays	Windows				
Wall covering protection					









Luxury and black label

Inimitable chemistry for fine goods. lux@wellspringglobal.net



Steering the course for SUSTAINABILITY

Sustainability is a fundamental pillar of Wellspring Global's mission. We are committed to advancing technologies that promote environmental stewardship and support our customers in achieving their sustainability goals. Our sustainability strategy includes:

Reducing Waste:

DiamondSpring[™] coating enhances abrasion resistance by over 33% compared to best-in-class competitors, reducing product failures and premature replacements, thereby minimizing waste.

Energy Efficiency:

Products treated with Wellspring Global™ technology require less frequent manufacturing and transportation due to their extended lifespan, resulting in lower energy consumption and reduced carbon emissions.

Resource Conservation:

The superior durability of Wellspring Global™ coatings ensures that fewer resources are needed for replacements, contributing to resource conservation efforts.

Extended Product Longevity:

Our coatings promote longer-lasting products, encouraging sustainable consumption patterns and reducing the overall environmental footprint.

Controlled Storage and Preservation:

Quality Assurance:

We implement strict quality control measures and only create batches when ordered, increasing the effectiveness and longevity of your coatings—ensuring consistent ultra-high performance and minimizing the need for re-application.

Stable Performance:

Wellspring Global™ coatings maintain their inimitable performance characteristics, delivering reliable results and supporting sustainable product lifecycles.

We believe a better world can be created with chemistry, without sacrificing performance. Together, we can advance sustainable technologies that contribute to a bright, clean future for all.





Wellspring Global Elite™ Support

We have you covered.


At Wellspring Global™, we understand shipping your products seamlessly and quickly with precise results is the utmost priority. That's why every purchase includes our Wellspring Global Elite™ Support (WGES). With WGES, you gain access to the world's most brilliant minds in the industry, ensuring you never have to guess or compromise on quality.

Our individualized private support allows you to call or text your dedicated representative at any time. Whether you are working late at night or in a different time zone, simply provide your WGES representative with your schedule, and we will be there to support you. From receiving, to curing to shipping, we are with you every step of the way, ensuring efficient operations.

With Wellspring Global Elite™ Support, your team can depend on unparalleled expertise and personalized assistance, guaranteeing success at every stage.


Wellspring Global Elite™ Support is also available as a standalone service, if you are interested in custom formulations, research and development, or would like to collaborate.

If you are experiencing lackluster results with your current choice of coatings, we encourage you to contact us to see how elegantly simple and precise surface coating chemistry can be. For more information, email wges@wellspringglobal.net, call or text 310-555-1212.



Wellspring Global is our go-to coatings manufacturer when we need ultra-high performance and a brilliant finish. Wellspring even custom packaged our coating, making it last 3 months longer with less waste! >>

-H.C., San Diego, CA







©ellspring™ Global.

Wellspring Global™ 1309 Coffeen Avenue Ste 1200 Sheridan, WY 82801 WellspringGlobal.net Sales@WellspringGlobal.net +1 (310) 555 1212 Whats App: 112256525

